

FSC® BAMBOO COMPOSITE DECKING

Better decking. Better living.






























Environmentally friendly





Longer lasting for longer lounging.


 $Infinity^{\text{TM}}$ composite decking is tested and proven to outperform timber in even the harshest weather conditions. This revolutionary co-extruded bamboo composite range uses award-winning Eva-Last® capping technology to withstand all that Mother Nature has to throw at it. Rest assured that with $Infinity^{\text{TM}}$ you are getting the best composite decking available.

Grooved decking boards.	Non-grooved square- edge decking boards.	Trim and fascia boards.
2		
140 x 20 mm	140 x 20 mm	150 x 12 mm

RANGE OF SOLID, GROOVED & FASCIA PROFILES FOR DECKING, CLADDING & SCREENING.


COLOURS & FINISHES INSPIRED BY NATURE.

DECK AND FASCIA BOARD FINISHES



Infinity™ grooved and solid composite deck boards are reversible to give you more choice in a single product. Find different natural finishes on either side of the decking board to satisfy your specific style and application. Complementary and interchangeable colours are available to maximise your design options, provide more flexibility and help make your home better.

COLOURS





140 x 20 mm DSG01

$Infinity^{TM}$ dual finish co-extruded composite decking.

Dimensions 140 x 20 mm (4.8 m lengths)

Weight 3.22 kg/m

Joist spacing 300 mm on centres

Fasteners 25 clips / sqm

Introducing $Infinity^{\mathsf{TM}}$; the latest in bamboo-plastic composite innovation from $\mathsf{Eva-Last}^{\otimes}$ with $\mathsf{Dura-tech}^{\mathsf{TM}}$ a revolutionary surface material that gives $Infinity^{\mathsf{TM}}$ its outstanding performance features. The unique process used in the manufacture of $Infinity^{\mathsf{TM}}$ achieves infinitely variable, authentic colour finishes that mimic the natural beauty of wood.

Carved Brushed Brushed Soft Wood (SR finish) (R finish)



Espresso Roast

Tiger Cove

Sapphire Silver







Infinity™ HD GROOVED BOARD

Sculpted Grain (L finish)

Distressed (J finish)

Mossel Bay Grey





Sculpted Grain (L finish)

Driftwood (E finish)

Indonesian Teak





$Infinity^{TM}$ dual finish co-extruded composite decking.

140 x 20 mm

DSG01

Dimensions

140 x 20 mm (4.8 m lengths)

Weight

3.22 kg / m


Joist spacing

300 mm on centres

Fasteners

25 clips / sqm

The $Infinity^{\text{TM}}$ HD range is Eva-last®'s next generation technology of textures that reveal that in-depth ultra naturalistic feature. With textures that are designed to emphasize a natural wood feel and aesthetic found only in nature. $Infinity^{\text{TM}}$ HD our most innovative product offers strength, durability and colour depth like no other.



Infinity™ dual finish co-extruded square-

Dimensions 140 x 20 mm (4.8 m lengths)

140 x 20 mm

DSN01

Weight 3.4 kg/m

edge composite decking.

Joist spacing 300 mm on centres
Fasteners HULK CDS screws,
30 per square metre

Infinity™ non-grooved deck boards are solid, square-edge profiles. They are best installed using HULK top fixing screws, available in various colours to match the selected deck board. These double-sided boards offer two different finishes - one on each face - to provide extra design options.

Infinity™ HD NON-GROOVED BOARD

Sculpted Grain (L finish)

Driftwood (E finish)





Spanish Saffron





Indonesian Teak





Mossel Bay Grey







Indonesian Teak

Mossel Bay Grey







Dimensions 150 x 12 mm (2.2 m lengths)
Weight 2.2 kg / m

 Weight
 2.2 kg / m

 Span
 300 mm

There are limitless possibilities of what you can achieve with $Infinity^{TM}$ fascia boards. Add a stylish finishing touch to a home exterior, clad the sides of your $Infinity^{TM}$ deck or co-ordinate deck boards with gates, screens and fences for the ultimate finishing touch.



Eva-tech™ composite joist

Joist dimensions

40 x 30 mm (2.2 m lengths)

Joist fascia weight

1.64 kg / m

STO8L

Colour

CO2 Black

Composite joists are a cost effective option for use over existing slabs such as screed or tile flooring, paving and patio's. Compared to standard deck installations, they are quick to install, requiring no posts or any other supporting structure. These joists have the added bonus of been highly durable, as they are made of composite.







Designed for professionals. Perfect for novices



Corrosion resistant



Neat surface finish



Easy torque control

HULK FASTENERS

Eva-Last® has developed a range of fasteners that thoroughly complement our composite products to ensure the stability and longevity of your deck. HULK fasteners are specially designed to securely fasten the deck boards to a substructure, but can also be used in other wood or steel fixing applications. The coating employed for our HULK fasteners ensures the fixing system supports your deck through out its lifespan.

Eva-Last® specialised systems: HULK fasteners

Eva-Last® has developed a range of complete and durable specialised systems that work together with Eva-Last® composite products to ensure the stability and longevity of your deck. Eva-Last® exclusively recommends HULK screws to provide the strongest and most durable fix for both wood and steel. HULK screws are specially coated and designed to fasten clips to a substructure, but can also be used in many other wood and steel fixing applications too.



SCREWS MATCH DECKING COLOURS



Espresso Roast



Tiger Cove



Spanish Saffron



Indonesian Teak Sapphire Silver





Mossel Bay Grey

Composite Deck Screw (CDS)

Used for fastening 20 - 25 mm thick deck boards onto timber frames without having to pre-drill unless specified by decking manufacturer. Suitable for softwood and most hardwoods frames. Pre-drilling may be required for dense hardwood frames.

Material SS 305

Screw dimensions

5.0 x 63 мм



HEAD - PAN OR WASHER HEAD

To resist screw pullout or sinking too deep into soft materials.

REVERSE THREAD - ROLLET (or a wing may be used instead - see metal)

Removes excess material in cases of top fixing and enlarges the hole within the composite board, making space for expansion and contraction.

SHANK - STANDARD

The shank has no thread. This stops the composite from causing unwanted rotation in the screw, and in cases of clip screws, leaves additional space for the clip, which may allow for the gap between the boards to be reduced.

THREAD - V-THREAD FOR TIMBER

Large threads are able to cut through materials easily and resist pullout.

TIP - TORPEDO OR TYPE 17

Pre-drilling tips allow for the use of the screw without pre-drilling*. Torpedo is a HULK-specific tip that makes for quicker, more controlled installation.

Metal Clip Screw

Used for fastening HULK hidden fasteners onto metal frames. HULK Fasteners are tested for use with 0.8 - 2.0 mm gauge steel, but have successfully been used in in upto 2.5 mm steel. Though pre-drilling would be recommended for anything over 2.0 mm. The Clip Screw for metal frames is manufactured from hardened 410 Stainless Steel.

Material

SS 410

Screw dimensions

4.2 X 40 мм



HEAD - Pan or Washer head

To resist screw pullout, or sinking to deeply into soft materials.

SHANK - Standard

The shank has no thread on it, stopping the composite from causing unwanted rotation in the screw, and in cases of clip screws, leaves additional space for the clip , which may allow for the gap between the boards to be reduced.

THREAD - Asymmetric thread

Smaller sharper thread allows for smoother installation by cutting through material easily. The number of threads per inch, allow for a better grip of steel structures.

TIP - Z-point

Z-point spade shape allows for easier cutting into metal.

HULK multi-purpose fasteners are the best choice for any outdoor, corrosion-risk, or long term application. HULK fasteners™ use an advanced bit lock system which maximises torque transfer, assembly speed as well as the life of bits and screws. HULK fasteners™ are the best choice for deck construction.

Key features of HULK composite deck screws:

- 1. The pan head works perfectly with HULK clips.
- 2. The flat bottom shape of the screw is designed to rest securely on top of a HULK clip, preventing movement and damage.
- 3. The thread and shaft work seamlessly with the substructure and HULK deck clip.
- 4. The tip of the clip screw and composite deck screw are the same, making them highly versatile.
- 5. Both HULK clips and composite deck screws are dark in colour, camouflaging them between deck boards.

HULK decking clips

HULK decking clips offer a fast and simple installation solution. They are designed for use with HULK screws to provide a hidden fastening system that gives a clean, neat finish to your deck installation.



STARTER KITS



5 m² HULK STARTER KIT

125 Torpedo clip screws

115 Halo clips

10 Stainless steel starter clips

1 Drill bit



EXPANSION KITS



10 m² HULK EXPANSION KIT

250 Torpedo clip screws

250 Halo clips

1 Drill bit



75 COMPOSITE DECK/FASCIA SCEWS



75 TOP FIXING SCREWS


75 Composite deck screws

1 Drill bit



Recommended for use with all Eva-Last® installations, HULK clips and fasteners are the best choice for: deck construction and garden applications.






COMPOSITE RAILING SYSTEM

Brushes Soft Wood (R finish)

Black







Specifications

Post height

1180 mm

Length

1806 mm

Note: Post caps and skirting also available.

RapidRail™ is designed to be adaptable yet simple to install. Smart configurations reduce the number of connections required, and the incorporation of Eva-Last®'s engineered composite and advanced coating technologies into the system, results in a robust and long-lasting solution, resistant to the harshest weather and biodeterioration conditions. Over existing treated timber posts (maximum size 75x75 mm).



TREASURE A GREENER TOMORROW 🞾



EVA-LAST® IS THE WAY OF THE FUTURE AND A MORE SUPERIOR ALTERNATIVE TO TIMBER.

Eva-Last® uses bamboo in the manufacture of the environmentally friendly Infinity™ decking product range. This creates a highly sustainable product as bamboo is one of the fastest growing plants on earth. The unique patented formula used creates an ultra strong end product and allows Eva-Last® to offer an industry leading guarantee.

- Made from recycled materials
- No trees felled
- No staining or varnishing
- No toxic chemicals
- Reduced impact on landfills
- Reduced global footprint



Forest Stewardship Council (FSC) certification ensures that products come from responsibly managed forests that provide environmental, social and economic benefits. The diverse fauna and flora who share our forests are given the time and space to recover from our use of their environments.





